




FIG. 5











FIG. 8



300





Fig. 10

×300






Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig 16A




Fig. 16B




Fig. 18




Fig. 19




Fig. 20




Fig. 21

nitial Conditions		1		
SM_EVAPORATOR1  SM_EVAPORATOR1  SModel Setup  Startup  Startup  Nommal 1	708 Ini	ial Conditio	is Normal2	
Description Product - Density  Description Product - Temperature	In Streams & Physical Feed - Flow	/ (Matue 500	Out Steams & Internal Product - Density	Value 65,4
D A Chest Pressure	Feed - Density Steam - Flow	43.2 320	Product - Temperature Chest Pressure	2B0 60
p →  In Streams & Physical	Steam - Temperature Fouling Factor	360 1.0	Dome Pressure	30.5
# → Feed – Flow # — → Feed – Density				
Seam - Flow  B - 1 Steam - Temperature	<b>  </b>	· · [	::	
⊞ → Founting Factor				
tritial Conditions				
712	\\	1	/	
112		1		
F 1				
	Tre Supremental automorphism and a construction of	La art shell the same and	Contractor and Contra	

Fig. 22




Fig. 23

	FIRE TO SER
(UNTITLED)	Contents of Streams and Parameters    In Streams   Out Streams   Parameters     Name
802	Delete. 804

Fig. 24




Fig. 25




Fig. 26




Fig. 27

Danse	00% 🔄 🕸	9. <b>4</b>   1. 4. 4	ठिकि।	0 - 9	d la	20
Streams T	pe 🏝	Initial Ru	n Posi			858
		860	862	864		
				•		
		,				
and the second second	<u>P.</u>				•	
BKCAL_IN_PRES BKCAL_OUT_PRES	fault 🚣				-	
BACAL_OUI_FRES						
		86	<b>'</b>			
			_			

Fig. 28




Fig. 29




Fig. 30





Fig. 31



## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.